Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	12512	((field near2 (device or unit)) or meter\$3 or gauge or thermometer or (sens\$3 or detect\$3)) with (data near2 bus)	USPAT; EPO; JPO; DERWENT	OR .	ON	2005/03/16 06:35
L2	7645	operat\$3 near9 (software near2 program\$5)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 06:36
L3	0	1 and 2 and communicat\$3 and (simulat\$3 near4 online)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 06:38
L4	26	1 and 2 and communicat\$3 and simulat\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 06:43
L6	1	4 and online and offline	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 06:38
L7	20	4 and network\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 06:57
L8	7	7 and virtual	USPAT; EPO; JPO; DERWENT	OR	ON .	2005/03/16 07:00
L9	2	7 and (virtual near3 interface)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 07:27
L10	11	7 and Windows	USPAT; EPO; JPO; DERWENT	OR	ON #	2005/03/16 07:15
L11	1	7 and DTM	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 07:27
L12	Ó	7 and pre\$configur\$3	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 07:09
L13	1	pre\$configur\$3 near4 (field adj device)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 07:21
L14	0	1 and 2 and 13	USPAT; EPO; JPO; DERWENT	OR	ON	-2005/03/16 07:09
L15	0	1 and 13	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 07:09

L16	18	(("6055633") or ("5970430") or ("5668591") or ("5635979") or ("5564108") or ("5487161") or ("5428769") or ("5162986") or ("4707825")).PN.	USPAT; EPO; JPO; DERWENT	OR	OFF	2005/03/16 07:18
L17	0	(4 or 16) and laptop	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 07:19
L18	0	1 and 2 and network\$3 and laptop	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 07:20
L19	.0	1 and 2 and laptop	USPAT; EPO; JPO; DERWENT:	OR-	ON	2005/03/16 07:21
L20	126	1 and network\$3 and laptop	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 07:21
L21	30	20 and (field near2 device)	USPAT; EPO; JPO; DERWENT -	OR	ON	2005/03/16 07:21
L22	0	21 and (virtual near3 interface)	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 07:27
L23	0.	21 and DTM	USPAT; EPO; JPO; DERWENT	OR	ON	2005/03/16 07:27

US 6850973 B1	Downloadable code ir 709/221	700/117; 700/83; 709/203; 709/2
US 6807445 B2	Totally implantable he 607/57	700440 700440 700474 7004
US 6647301 B1	Process control syste 700/79	700/108; 700/110; 700/174; 700/
US 6600723 B1	Process for testing an 370/245	361/90; 370/364; 370/395.31; 71
US 6575894 B2	At least partially impla600/25	
US 6570082 B2	Tone color selection £84/622	84/645
US 6565503 B2	At least partially impla 600/25	600/379; 607/57
US 6459957 B1	Programmable smart 700/245	318/560; 318/568.11; 403/169; 4
US 6366272 B1	Providing interactions 345/156	463/37
US 6219770 B1	Method and apparatu 711/162	711/161; 711/165; 711/6
US 6157464 A	Facsimile store and fc 358/407	358/442; 358/468
US 6028593 A	Method and apparatu 345/156	463/37
US 5818512 A	Video distribution syst725/82	348/584; 348/589; 725/85; 725/8
US 5767894 A	Video distribution sys 725/82	348/584; 725/100; 725/85; 725/9
US 5729279 A	Video distribution sys 725/74	348/584; 348/589; 725/82
US 5648731 A	Method of checking s 324/767	
US 5559611 A	Facsimile store and fc358/407	358/442; 358/468
US 5555100 A	Facsimile store and fc358/402	358/407; 358/434; 358/436; 358/
US 5530335 A	Battery regulated bus 320/102	136/293; 320/149
US 3835260 A	COMMUNICATION S 379/237	379/269; 379/273; 379/279; 379/
		·
·	/	
		11.
	1	1.
·		U
•		
		·
•		

	US 6366272 B1 US 6807445 B2	Providing interactions 345/156 Totally implantable he 607/57	463/37
	US 6647301 B1	Process control syste 700/79	700/108; 700/110; 700/174; 700/
	US 6600723 B1	Process for testing an 370/245	361/90; 370/364; 370/395.31; 71
	US 6575894 B2	At least partially imple 600/25	·
	US 6565503 B2	At least partially impla 600/25	600/379; 607/57
	US 6219770 B1	Method and apparatu 711/162	711/161; 711/165; 711/6
	US 6028593 A	Method and apparatu 345/156	463/37
	US 5818512 A	Video distribution syst725/82	348/584; 348/589; 725/85; 725/8
	US 5767894 A	Video distribution sys 725/82	348/584; 725/100; 725/85; 725/9
	US 5729279 A	Video distribution syst725/74	348/584; 348/589; 725/82
	•	/	
•		/	
			0
	•	<u> </u>	

Process control syste 700/1

US 5980078 A

700/17; 700/18; 700/9; 709/221;

1_13

US 6055633 A	Method of reprogram 713/100	709/221; 711/100; 711/170
US 5970430 A	Local device and proc 702/122	700/117; 714/11
US 5668591 A	Information terminal a 725/140	348/734; 725/132; 725/60
US 5635979 A	Dynamically program, 725/132	725/105
US 5564108 A	Non-invasive software 702/65	710/16
US 5487161 A	Computerized data te 711/115	711/211
US 5428769 A	Process control interf; 700/4	710/240; 714/1; 714/11
US 5162986 A	Remote downloading 700/17	700/18
US 4707825 A	Methods of installing : 370/384	

L 16

US 5841654 A	Windows based netw 700/83	370/254; 370/255; 370/257; 370/
US 6852584 B1	Method of trimming a 438/197	438/267
US 6847682 B2	Method, system, devi-375/240.1	2
US 6842454 B2	Method and system fc370/392	370/401; 370/466
US 6811681 B2	Semiconductive corro 205/725	204/196.02; 204/196.04; 204/196
US 6807554 B2	Method, system and c708/270	
US 6804816 B1	Method and template 719/311	709/223
US 6768577 B2	TUNABLE MULTIMO 359/335	359/341.31; 359/341.33
US 6684276 B2	Patient encounter ele 710/73	705/17; 705/3; 710/18
US 6683547 B2	Method and system fc 341/106	341/59; 341/67; 341/79; 704/200
US 6609070 B1	Fluid treatment appar 702/50	210/614; 210/96.1; 700/266; 73/6
US 6590660 B2	Apparatus and metho 356/419	250/226; 356/416; 356/71
US 6583866 B2	Spectrometric appara 356/73	356/328
US 6556930 B1	Fluid treatment appar 702/50	210/614; 700/266; 700/267; 700/
US 6519037 B2	Spectrometer having 356/419	250/226; 356/416
US 6449041 B1	Apparatus and metho 356/326	
US 6414750 B1	Spectrometric appara 356/73	356/328
US 6405261 B1	Method and apparatu 709/250	340/310.01; 455/3.06; 709/222; 7
US 6373573 B1	Apparatus for measur 356/419	347/19; 356/71
US 6362888 B1	Spectrometer assemt 356/419	250/226; 356/416
US 6330525 B1	Method and apparatu 702/183	376/245; 702/182
US 6260004 B1	Method and apparatu 702/183	702/130; 702/185; 702/34; 702/3
US 6249348 B1	Integrated spectrome 356/419	250/226; 356/416; 356/71
US 6246479 B1	Integrated spectrome 356/419	250/226; 356/416; 356/71
US 6246471 B1	Apparatus and metho 356/73	356/328; 356/71
US 6118521 A	Apparatus and metho 356/73	250/227.14; 250/227.16; 356/416
US 6095674 A	Windows based netw 700/83	700/32
US 5892939 A	Emulator for visual dit 703/23	365/112; 365/157; 700/97; 715/7
US 5175750 A	Application specific in 375/369	375/257
US 4897630 A	Programmable alarm 340/426.2	! 340/309.16; 340/309.8; 340/426.

3/0/62 340/300